Author Index of Volumes 198–200

Aakeröy, C. B., 613
Adachi, H., 805
Adams, H., 111
Albinati, A., 771
Angelici, R. J., 211
Ansari, M. A., 85
Ara, I., 787
Arnold, F. P., 139
Arz, C., 771
Atwood, D. A., 271

Bailey, N. A., 111
Balch, A. L., 297
Balzani, V., 507
Bär, E., 513
Barbaro, P., 31
Barni, E., 831
Barrau, J., 461
Basolo, F., 219
Batail, P., 119
Beattie, J. K., 309
Beck, G., 513
Beck, W., 415
Beer, R. H., 359
Belluco, U., 883
Benn, H., 741
Bennett, M. A., 583
Berger, H., 771
Bergman, R. G., 377
Bernès, S., 493
Bernstein, P. A., 543
Bertani, R., 883
Bertini, I., 483
Bianchini, C., 31
Biesemans, M., 249
Bino, A., 627
Bond, A. M., 671
Bouâlam, M., 249
Boubekeur, K., 119
Brand, U., 663
Brown, T. L., 823
Bruce, M. I., 407
Brunner, H., 79
Bugnon, P., 159
Burger, K., 867
Butts, M. D., 377

Campagna, S., 507
Capozzi, F., 483
Carlin, R. L., 613
Carmichael, D., 437
Casey, C. P., 557
Cassano, V., 461
Caulton, K. G., 639
Chang, T. K., 145
Chen, Q., 95
Chisholm, M. H., 63
Choi, M.-G., 823
Chorley, R. W., 203
Ciano, M., 507
Colton, R., 671
Comerlato, N. M., 733
Cook, C. M., 63
Corriu, R., 705
Cotton, F. A., 13
Cowley, A. H., 271
Coyle, C. L., 565
Crabtree, R. H., 429

Deeming, A. J., 469
Dei, A., 813
Dékány, I., 867
Denti, G., 507
Desper, J. M., 557
Di Bilio, A. J., 145
di Gleria, K., 863
Dixneuf, P. H., 193
Doherty, N. M., 257
Doherty, S., 469
Drago, R. S., 359
Driess, M., 733

Eaborn, C., 337
Eglin, J. L., 13
El-Kaddar, Y. Y., 337
Elsevier, C. J., 689
Ennett, J. P., 583
Eriksen, K. A., 565
Erker, G., 679

Facchin, G., 883
Fanta, A. D., 733
Farina, S., 565
Fehlhammer, W. P., 513
Fenton, D. E., 577
Fischer, W., 57
Folting, K., 63
Forniés, J., 165
Francis, J., 565
Fritz, M., 513
Fuchs, J., 513

Gamper, S., 763
Garfinkel-Shweky, D., 627
Gatteschi, D., 813
Gea, Y., 565
Geoffroy, G. L., 601
Gielen, M., 249
Goddard, R., 533, 741
Godfrey, S. M., 23
Grätzel, M., 831
Gray, H. B., 145
Greaney, M. A., 565
Guérin, C., 705
Guillou, O., 119
Guzi, P. J., 565

Haggerty, B. S., 601
Halbert, T. R., 565
Hall, M. B., 429
Hallinan, N., 219
Handwerker, H., 763
Hasegawa, T., 275
Häselhoff, C.-C., 533
Hatfield, W. E., 795
Hazin, P. N., 557
Hellier, P. C., 577
Hembre, R. T., 57
Henderson, R. K., 393
Henner, B., 705
Hervé, G., 319
Hill, H. A. O., 863
Hitchcock, P. B., 203, 613
Hodali, H. A., 245
Hogarth, G., 257
Hohmann, H., 187
Holzmann, G., 513
Homonnay, Z., 867
Hostetler, M. J., 377
Huffman, J. C., 639
Hung, H., 245
Hursthouse, M. B., 369
Hutton, R. S., 671

Ibers, J. A., 85
Ikeda, I., 275

Jackson, P. A., 393
James, B. R., 283
Jeannin, Y., 319, 493
Jeffery, J. C., 593
John, E. O., 527
Johnson, B. F. G., 345, 393
Jonas, K., 533
Joshi, A. M., 283
Juris, A., 507
Jutzi, P., 369

Kahn, O., 119
Kakkar, A. K., 219
Kalyanasundaram, K., 831
Kaplan, A. W., 601
Karaulov, A., 369
Karlsson, B. G., 145
Kelley, C., 601
Kendall, J. L., 795
Kepler, K. D., 795
Khasnis, D. V., 193
King, R. B., 841
Kirchmeier, R. L., 527
Knoch, F., 351
Knox, S. A. R., 257
Krämer, R., 415
Kreisz, J., 401
Krüger, C., 533, 679, 741
Kurosawa, H., 275

Lappert, M. F., 203
Laschi, F., 31
Laurenczy, G., 159
Lay, P. A., 449
Le Floch, P., 437
Leis, C., 763
Leung, W.-P., 203
Lever, A. B. P., 543
Lewis, J., 393
Li, G. Q., 23
Lianza, F., 771
Lickiss, P. D., 337
Liddell, M. J., 407
Linn, K., 31
Lippard, S. J., 627
Lippert, B., 723
Liu, Q.-T., 623
Liu, S., 627
Lowe, C. B., 613
Lowery, M. D., 233
Lu, J., 623
Luchinat, C., 483
Lugan, N., 601
Lundberg, L. G., 145
Luo, X.-L., 429

Macpherson, K. A., 257
Maiterth, F., 79
Malmström, B. G., 145
Mann, B. E., 111
Manuel, C. P., 111
Marder, T. B., 219
Markó, L., 401
Martell, A. E., 421
Masschelein, A., 627
Masuda, H., 749
Mathey, F., 437
Mathieu, R., 601
McAuliffe, C. A., 23
McConnachie, J. M., 85
Mealli, C., 31
Mehner, H., 867
Melchior, F., 257
Meli, A., 31
Merbach, A. E., 159
Meunier-Piret, J., 249
Michelin, R. A., 883
Michos, D., 429
Moll, M., 351
Mortimer, M. D., 593
Morton, D. A. V., 257
Motekaitis, R. J., 421
Mozzon, M., 883
Mul, W. P., 689
Murray, H. H., 565

Nagy-Magos, Z., 401
Nakamura, A., 805
Nazeeruddin, Md. K., 831

Ndifon, P. T., 23
Nemes-Vetéssy, Z., 867
Nolte, M., 679
Nordling, M., 145
Norton, J. R., 57
Novoa, J. J., 133
Nugent, K. W., 309

Odami, A., 749
Ohkita, K., 275
Olmstead, M. M., 203
Orpen, A. G., 257
Oushoorn, R. L., 119

Parisini, E., 345
Pascher, T., 145
Patel, N. R., 527
Pearson, R. G., 781
Perera, S. D., 149
Petrovich, L. M., 557
Pfeil, B., 741
Phillips, J. R., 633
Piccioli, M., 483
Pirio, N., 193
Polborn, K., 415
Pombeiro, A. J. L., 179
Powell, D. R., 733
Powell, N. I., 469
Power, P. P., 203, 443
Pregosin, P. S., 771
Pritchard, R. G., 23
Proust, A., 319

Raithby, P. R., 393
Rao, K. M., 211
Reedijk, J., 873
Rettig, S. J., 283
Rheingold, A. L., 139, 601
Rhodes, L. F., 639
Ricard, L., 437
Ricevuto, V., 507
Rieger, D., 513
Rima, G., 461
Robert, F., 493
Robl, C., 415
Ros, R., 883
Ruiz, J., 271
Rump, M., 679

Sargeson, A. M., 449
Sarwar, G., 527
Satgé, J., 461
Savarino, P., 831
Schillinger, H., 351
Schöllhorn, H., 723
Sécheresse, F., 493
Seddon, K. R., 613
Sellmann, D., 351
Serroni, S., 507
Shaviv, R., 613
Shaw, B. L., 149
Shen, J. K., 219
Shirafuji, T., 275
Shoukry, M., 187

Shreeve, J. M., 527
Schriver, D. F., 245
Sidler, D. R., 57
Sigel, H., 1
Solomon, E. I., 233
Stammler, H.-G., 369
Stiefel, E. I., 565
Stone, F. G. A., 593
Streib, W. E., 63
Sun, Y., 421
Sykes, A. G., 623
Szakács-Schmidt, A., 401

Taft, K. L., 627
Takács, J., 401
Tan, R. P., 733
Taylor, N. J., 219
Terry, M. R., 601
Thewalt, U., 723
Thorburn, I. S., 283
Thornton-Pett, M., 149
Touchard, D., 193
Toupet, L., 193
Treittinger, B., 79
Trogler, W. C., 633
Trojan, K. L., 795
Tsiamis, C., 651

Ueyama, N., 805
Underiner, T. L., 557
Usón, R., 165

Vahrenkamp, H., 663
van Eldik, R., 187
Vértes, A., 867
Vessey, J. D., 149
Vicens Oliver, M., 483
Viscardi, G., 831
Vizza, F., 31
Vrieze, K., 689

Walton, R. A., 787
Wang, Q., 705
Wang, Y., 557
Wegener, D., 369
Werner, H., 715
West, R., 733
Whangbo, M.-H., 133
Wilke, G., 741
Willem, R., 249
Williams, J. M., 133

Yamauchi, O., 749
Young, V. G., Jr., 211

Zanello, P., 31
Zanotto, L., 883
Zheng, Y. Y., 527
Zora, J. A., 613
Zubieta, J., 95
Zybill, C., 763

Subject Index of Volumes 198–200

Acetyl complexes
  reaction of $[Rh_2(COMe)_2(CO)_2I_6]^{2-}$ with some tertiary phosphines, and $PPh(OMe)_2$, and X-ray structure of $[Rh(COMe)I_2(Ph_2PCH_2PPh_2)]$, 111
Alkoxide complexes
  structural investigations of hexavanadium core $\{V_6O_{19}\}$ in 'oxidized', mixed valence and 'reduced' clusters of type $[V^V_{6-n}V^{IV}_nO_{13-n}(OH)_n\{(OCH_2)_3CR\}_2]^{2-}$, $n=0$, 3 and 6, 95
Alkoxy complexes
  oxygen atom transfer in reaction between hexakis(dimethyl-tert-butylsiloxy)ditungsten and nitric oxide; remarkable difference in reactivity of W–W triple bond as function of attendant ligands, Bu^tO vs. Bu^tMeSiO, 63
Alkyl complexes
  CH_3 complexes with [NiS] fragments as models for CO dehydrogenase; synthesis and properties of $[Ni('MeS_2')_2]$ and $(NMe_4)[Ni(CH_3)('MeS_2')_2]$ ('MeS_2'$^-$ = *o*-(methylthio)thiophenolate(1−)), 351
  1,3-dimetalloallyl tri-Ru cluster $(\mu\text{-H})Ru_3(\mu_3\text{-}\eta^3\text{-}CHCHCMe)(CO)_9$ and its PPh_3 derivatives, 211
  synthesis and reactivity of digermylplatinum(II) complexes $Me_2\overline{Ge(CH_2)_nGe(Me_2)}PtL_2$ ($n=0$, 1, 2), 461
Alkylidene complexes
  metal insertion into CH bond as route to heterobimetallic μ-methylidene complex $C_5H_5(CO)_2Re(\mu\text{-}CH_2)Pt(PPh_3)_2$, 557
Alkylidyne complexes
  synthesis of complexes with Mo–Pt bonds from alkylidyne(carborane)Mo reagent $[NEt_4][Mo(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 593
Alkyne complexes
  intermediates of cyclotrimerization of 2-butyne with Cr catalyst, 741
Amide complexes
  X-ray crystal structures of two monomeric Group 14 metal bisamides, $Ge[N(SiMe_3)_2]_2$ and $Sn[\overline{NC(Me)_2(CH_2)_3CMe_2}]_2$, 203
Amine complexes
  relevance of hydrogen bonding in mechanism of action in Pt antitumor compounds, 873
  synthesis and antitumor activity of water-soluble 2-benzyl-1,2-diaminobutane-α-oxycarboxylatoplatinum(II) complexes, 79
  Zn complexes of cyclohexane triamine ligands, 663
Amino acid complexes
  pentamethylcyclopentadienyl–Rh(III) complexes with α-amino acid derivates as bridging ligands and with several chiral metal centers; synthesis and structure of $[Cp^*Rh(\mu\text{-L-phenylalaninato})]_3(BF_4)_3$ and $[Cr^*Rh(\mu\text{-}NHCOCH_2NCO_2CH_2Ph)]_2$, 415
  weak interactions in metal complexes of amino acids with phosphorylated side chain; conversion of aromatic ring stacking to electrostatic bonding by tyrosine phosphorylation, 749
Antitumor activity
  mechanistic information on reaction of model Pd(II) complexes with purine nucleosides and 5′-nucleotides in reference to antitumor activity of related Pt complexes, 187
  relevance of hydrogen bonding in mechanism of action in Pt antitumor compounds, 873
  synthesis and antitumor activity of water-soluble 2-benzyl-1,2-diaminobutane-α-oxycarboxylatoplatinum(II) complexes, 79
Arene complexes
  preparation and spectroscopic characterization of (η^6-arene)Ru(II) trifluoromethylsulfonates and of dinuclear di-μ- and tri-μ-hydrido (η^6-arene)Ru(II) complexes; homogeneous hydrogenation of cyclohexene and 1-hexene catalysed by various (η^6-arene)Ru(II) complexes, 583
  synthesis and characterisation of some hexanuclear heterometallic clusters containing arene ligands; crystal and molecular structures of $RuOs_5(CO)_{15}(\eta^6\text{-}C_6H_6)$ and $RhOs_5(CO)_{15}(\eta^6\text{-}C_5Me_5)$, 393
Arsenic complexes
  reaction of disilenes with P_4 and As_4, 733
Aryl complexes
  Mn(II) cyclopentadienide and cyclopentadienylmanganese(biphenyl) as starting materials for synthesis of carbonyl free organomanganese complexes, 533
Azadiene complexes
  monoazadiene Ru carbonyl chemistry, 689
Azurin complexes
  electronic absorption spectra of M(II)(Met121X) azurins (M = Co, Ni, Cu; X = Leu, Gly, Asp, Glu); charge-transfer energies and reduction potentials, 145

Beryllocene structures
  beryllocene and related slip-sandwich structures, 309
Bidentate amine ligand complexes
  tris(1,2-ethanediamine) complexes of Os(IV), Os(III) and Os(II); oxidative dehydrogenation reactions, 449
Bidentate ligand complexes
  characterisation of intermediates involved in *mer*-$W(CO)_3(\eta^1\text{-dpm})(\eta^2\text{-dpm})$ to *mer*-$[W(CO)_2(\eta^2\text{-dpm}_2]^{2+}$ (dpm = $Ph_2PCH_2PPh_2$) oxidation process in acetone by steady-state and fast scan voltammetry at Pt and Hg microelectrodes, 671
  redox chemistry of triply bonded compounds $Re_2X_4(\mu\text{-dmpm})_3$ (X = Cl or Br; dmpm = $Me_2PCH_2PMe_2$) and isolation and characterization of nitrosyl complex $Re_2Cl_5(\mu\text{-dmpm})_2(NO)$, 787
  Ru(II) complex of 2,2′-biphosphinine, 437
  synthesis, characterization and reactivity of some mono- and dinuclear chlororuthenium complexes containing chelating ditertiary phosphines (P–P) with P–P:Ru = 1, 283
  synthesis of *endo*-3-diphenylphosphino-(1*R*)-(+)-camphor (L) and some of its complexes with Pd(II), Pt(II) and Rh(I); crystal structures of L and *cis*-$[PdCl_2L_2]$, 149
Bimetallic complexes
  metal insertion into CH bond as route to heterobimetallic μ-methylidene complex $C_5H_5(CO)_2Re(\mu\text{-}CH_2)Pt(PPh_3)_2$, 557

Bipyridine ligands
synthesis and photophysical characterization of highly luminescent complexes of Ru(II) containing 4,4′-di-(*p*-carboxyphenyl)-2,2′-bipyridine, 831
Bis(cyclopentadienyl)beryllium
beryllocene and related slip-sandwich structures, 309
Bis(cyclopentadienyl)methane ligand
homo- and heterometallic transition-metal complexes containing bis(cyclopentadienyl)methane as ligand, 715
Blue copper complexes
axial ligand bonding in blue Cu proteins, 233
Boron complexes
synthesis and characterization of compounds with B–B double bonds, 443

Carbene complexes
nucleophilic addition of Cr carbene anions to coordinated olefin in $[Cp(CO)_2Fe(\eta^2\text{-olefin})]^+$ complexes and to cyclohexadienyl ligand in $[(\eta^5\text{-cyclohexadienyl})(CO)_3Fe]^+$, 601
Carbon complexes
structures, stabilities and fragmentation patterns of C clusters including Buckminsterfullerene, 133
Carbonyl complexes
application of ligand polyhedral model to dicobalt octacarbonyl, 345
characterisation of intermediates involved in *mer*-$W(CO)_3(\eta^1\text{-dpm})(\eta^2\text{-dpm})$ to *mer*-$[W(CO)_2(\eta^2\text{-dpm})_2]^{2+}$ (dpm = $Ph_2PCH_2PPh_2$) oxidation process in acetone by steady-state and fast scan voltammetry at Pt and Hg microelectrodes, 671
kinetics and mechanism of CO ligand substitution in ring-substituted indenyl Rh complexes $[(\eta^5\text{-}C_9R_nH_{7-n})Rh(CO)_2]$, 219
kinetics and mechanism of oxidative cleavage of metal–metal bond in $[M_2(CO)_{10}]^{2-}$, M = Cr, Mo and W, 633
Marcus-type model for steric and electronic effects of ligands in atom transfer reactions of metal carbonyl radicals, 823
monoazadiene Ru carbonyl chemistry, 689
new trinuclear and hexanuclear Ru clusters derived from reaction of $[Ru_3(CO)_{12}]$ with phenylphosphine or cyclohexylphosphine, 469
P–C bond cleavage at di-iron centre; synthesis of μ-phosphidomethyl complexes $[Fe_2(CO)_6(\mu\text{-}CH_2PR_2)(\mu\text{-}PR_2)]$ from $[Fe_2(CO)_6(\mu\text{-CO})(\mu\text{-}R_2PCH_2PR_2)]$, 257
reaction of $[Rh_2(COMe)_2(CO)_2I_6]^{2-}$ with some tertiary phosphines, and $PPh(OMe)_2$, and X-ray structure of $[Rh(COMe)I_2(Ph_2PCH_2PPh_2)]$, 111
synthesis and characterisation of some hexanuclear heterometallic clusters containing arene ligands; crystal and molecular structures of $RuOs_5(CO)_{15}(\eta^6\text{-}C_6H_6)$ and $RhOs_5(CO)_{15}(\eta^5\text{-}C_5Me_5)$, 393
synthesis and characterization of some new complexes of Vaska-type *trans*-$[IrX(CO)L_2]$ (X = Cl or I; L = phosphite, phosphinite or phosphonite) and direction of dihydrogen addition to these species, 429
synthesis and crystal structure of Mo carbonyl complex, $Mo(CO)_4[cyclo(Ph_6P_3As_3)]$, with scrambled P/As identities obtained from perfectly alternating P–As heterocycle, 1,3,5-tris(phenylphospha)-2,4,6-tris(phenylarsa)cyclohexane, $[cyclo(Ph_6P_3As_3)]$, 139
tetra- to heptanuclear carbonyl(cyano)chromato, -molybdato and -tungstato complexes of 3d metals, 513

Carborane complexes
synthesis of complexes with Mo–Pt bond from alkylidyne(carborane)Mo reagent $[NEt_4][Mo(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 593
Carboxylate complexes
models of oxidized forms of polyiron oxo proteins; synthetic routes to (μ-oxo)bis(μ-carboxylato)diiron(III) complexes with neutral monodentate and bidentate capping ligands, 627
Catalysis
classification scheme for homogeneous metal catalyzed oxidations by O_2, 359
preparation and spectroscopic characterization of (η^6-arene)Ru(II) trifluoromethylsulfonates and of dinuclear di-μ- and tri-μ-hydrido (η^6-arene)Ru(II) complexes; homogeneous hydrogenation of cyclohexene and 1-hexene catalysed by various (η^6-arene)Ru(II) complexes, 583
Catecholate complexes
dioxygen uptake and transfer by Co(III), Rh(III) and Ir(III) catecholate complexes, 31
Charge transfer
synthesis and photophysical characterization of highly luminescent complexes of Ru(II) containing 4,4′-di-(*p*-carboxyphenyl)-2,2′-bipyridine, 831
Chelate complexes
characterisation of intermediates involved in *mer*-$W(CO)_3(\eta^1\text{-dpm})(\eta^2\text{-dpm})$ to *mer*-$[W(CO)_2(\eta^2\text{-dpm})_2]^{2+}$ (dpm = $Ph_2PCH_2PPh_2$) oxidation process in acetone by steady-state and fast scan voltammetry at Pt and Hg microelectrodes, 671
Ru(II) complex of 2,2′-biphosphinine, 437
synthesis and antitumor activity of water-soluble 2-benzyl-1,2-diaminobutane-α-oxycarboxylatoplatinum(II) complexes, 79
synthesis, characterization and reactivity of some mono- and dinuclear chlororuthenium complexes containing chelating ditertiary phosphines (P–P) with P–P:Ru = 1, 283
synthesis of *endo*-3-diphenylphosphino-(1*R*)-(+)-camphor (L) and some of its complexes with Pd(II), Pt(II) and Rh(I); crystal structures of L and *cis*-$[PdCl_2L_2]$, 149
tris(1,2-ethanediamine) complexes of Os(IV), Os(III) and Os(II); oxidative dehydrogenation reactions, 449
Zn complexes of cyclohexane triamine ligands, 663
Chelate ligand complexes
new synthetic, selective, high-affinity ligands for effective trivalent metal ion binding and transport, 421
spectroscopic and electrochemical aspects of Cu(II) chelates containing 1,2-diamines and β-ketoenols, 651
Chemical hardness
chemical hardness and electronic chemical potential, 781
Chiral metal complexes
pentamethylcyclopentadienyl–Rh(III) complexes with α-amino acid derivatives as bridging ligands and with several chiral metal centers; synthesis and structure of $[Cp^*Rh(\mu\text{-L-phenylalaninato})]_3(BF_4)_3$ and $[Cr^*Rh(\mu\text{-}NHCOCH_2NCO_2CH_2Ph)]_2$, 415
Chromium complexes
intermediates of cyclotrimerization of 2-butyne with Cr catalyst, 741
nucleophilic addition of Cr carbene anions to coordinated olefin in $[Cp(CO)_2Fe(\eta^2\text{-olefin})]^+$ complexes and to cyclohexadienyl ligand in $[(\eta^5\text{-cyclohexadienyl})(CO)_3Fe]^+$, 601
tetra- to heptanuclear carbonyl(cyano)chromato, -molybdato and -tungstato complexes of 3d metals, 513

Cluster complexes
1,3-dimetalloallyl tri-Ru cluster $(\mu\text{-H})Ru_3(\mu_3\text{-}\eta^3\text{-}CHCHCMe)(CO)_9$ and its PPh_3 derivatives, 211
icosahedron in inorganic chemistry, 841
mass spectroscopic evidence for formation of mixed-metal octahedral clusters $[Mo_nW_{6-n}Cl_{14}]^{2-}$, 245
new trinuclear and hexanuclear Ru clusters derived from reaction of $[Ru_3(CO)_{12}]$ with phenylphosphine or cyclohexylphosphine, 469
structures, stabilities and fragmentation patterns of C clusters including Buckminsterfullerene, 133
synthesis and characterisation of some hexanuclear heterometallic clusters containing arene ligands; crystal and molecular structures of $RuOs_5(CO)_{15}(\eta_6\text{-}C_6H_6)$ and $RhOs_5(CO)_{15}(\eta^5\text{-}C_5Me_5)$, 393
synthesis and reactivity of Mo–S cubes, 565
Cobalt complexes
application of ligand polyhedral model to dicobalt octacarbonyl, 345
dioxygen uptake and transfer by Co(III), Rh(III) and Ir(III) catecholate complexes, 31
protonation of Co tetraneopentoxyphthalocyanine as function of oxidation state, 543
Copper complexes
heterometallic species containing Cp_2MH_2 (M = Mo and W) and Cu^+ or Ag^+ are inner sphere redox intermediates, 639
molecular architecture of Cu(I) thiometallate complexes; example of cubane with extra face, $(NPr_4)_3[MS_4Cu_4Cl_5]$ (M = Mo, W), 493
one- and two-dimensional rare earth–Cu molecular materials, 119
spectroscopic and electrochemical aspects of Cu(II) chelates containing 1,2-diamines and β-ketoenols, 651
weak interactions in metal complexes of amino acids with phosphorylated side chain; conversion of aromatic ring stacking to electrostatic bonding by tyrosine phosphorylation, 749
Crystal structure(s)
adenine tautomerization by coordinated Pt(II), 723
of 2,6-bis[(dimethylamino)methyl]phenyl ligand derivatives of Pb(III), As(III), Sb(III) and Bi(III), 271
of carbonyl free organomanganese complexes, 533
of $C_5H_5(CO)_2Re(\mu\text{-}CH_2)Pt(PPh_3)_2$, 557
of chlororuthenium complexes containing chelating ditertiary phosphines (P–P) with P–P:Ru = 1, 283
of compounds with B–B double bonds, 443
of $CpCp'Ta(CH_2)_2Ir(CO)(L)$ and $R_2P(CH_2)_2Ir(CO)(L)$, 377
of $[Cr^*Rh(\mu\text{-L-phenylalaninato})]_3(BF_4)_3$ and $[Cp^*Rh(\mu\text{-}NHCOCH_2NCO_2CH_2Ph)]_2$, 415
of dicarbollyl complexes of Ge(II) and Sn(II), 369
of dicyclohexyltin(IV) bis(2-pyridylthiolate), 249
of dinuclear tartratozirconocene complexes, 679
of *endo*-3-diphenylphosphino-(1*R*)-(+)-camphor (L) and *cis*-$[PdCl_2L_2]$, 149
of $Fe[\eta^3\text{-}H\text{–}B(H_2\leftarrow S\text{–}C(SMe)H](CO)(PMe_3)_2$ and $Fe[\eta^3\text{-}S\text{–}C(Ph)=CH\text{–}CH(SMe)](CO)(PMe_3)_2$, 193
of $Ge[N(SiMe_3)_2]_2$ and $Sn[NC(Me)_2(CH_2)_3CMe_2]_2$, 203
heterometallic species containing Cp_2MH_2 (M = Mo and W) and Cu^+ or Ag^+ are inner sphere redox intermediates, 639
of hexavanadium core $\{V_6O_{19}\}$ in clusters of type $[V^V_{6-n}V^{IV}_nO_{13-n}(OH)_n\{(OCH_2)_3CR\}_2]^{2-}$, $n = 0$, 3 and 6, 95
of $(\mu\text{-H})Ru_3(\mu_3\text{-}\eta^3\text{-}CHCHCMe)(CO)_9$ and its PPh_3 derivatives, 211
intermediates of cyclotrimerization of 2-butyne with Cr catalyst, 741
metal complexes of amino acids with phosphorylated side chain, 749
of Mn^I/Mn^{II} mixed-valence isomeric complexes $[Mn(CNBu^t)_6][MnI_3(PPh_3)]$ and $[Mn(CNBu^t)_5(PPh_3)][MnI_3(CNBu^t)]$, 23
of $Mo(CO)_4[cyclo(Ph_6P_3As_3)]$, 139
of Mo–S cubes, 565
of $[M_2X_8]^{n-}$, $M_2X_4L_4$ and related compounds, 13
of $[Ni_4Se_4(Se_3)_5(Se_4)]^{4-}$ and $[Ni_4Te_4(Te_2)_2(Te_3)_4]^{4-}$ anions, 85
nucleophilic addition of Cr carbene anions to coordinated olefin in $[Cp(CO)_2Fe(\eta^2\text{-olefin})]^+$ complexes and to cyclohexadienyl ligand in $[(\eta^5\text{-cyclohexadienyl})(CO)_3Fe]^+$, 601
of oxazolidine complexes of Pt(II) and Pd(II), 771
of $(\mu\text{-oxo})$bis$(\mu\text{-carboxylato})$diiron(III) complexes with neutral monodentate and bidentate capping ligands, 627
oxygen atom transfer in reaction between hexakis(dimethyl-tert-butylsiloxy)ditungsten and nitric oxide; remarkable difference in reactivity of W–W triple bond as function of attendant ligands, Bu^tO vs. Bu^tMe_2SiO, 63
of peroxy complexes of Fe porphyrins, 297
of μ-phosphidomethyl complexes $[Fe_2(CO)_6(\mu\text{-}CH_2PR_2)(\mu\text{-}PR_2)]$, 257
of $[(pyH)_3Cl][FeCl_4]_2$, 613
of $Re_2Cl_5(\mu\text{-dmpm})_2(NO)$, 787
of $[Rh(COMe)I_2(Ph_2PCH_2PPh_2)]$, 111
of Ru(II) complexes of 2,2′-biphosphinine, 437
of $RuOs_5(CO)_{15}(\eta^6\text{-}C_6H_6)$ and $RhOs_5(CO)_{15}(\eta^5\text{-}C_5Me_5)$, 393
silanediyl (silylene) complexes of Ru(0), 763
Cubane complexes
Ni^{IV} cubanes; synthesis and characterization of $[Ni_4Se_4(Se_3)_5(Se_4)]^{4-}$ and $[Ni_4Te_4(Te_2)_2(Te_3)_4]^{4-}$ anions, 85
Cube complexes
synthesis and reactivity of Mo–S cubes, 565
Cyanamide complexes
coordination chemistry of nitriles and cyanamide at electron-rich metal centres, 179
Cyanato complexes
preparation and reactions of some organosilicon cyanates, 337
Cyano complexes
tetra- to heptanuclear carbonyl(cyano)chromato, -molybdato and -tungstato complexes of 3d metals, 513
Cyclic ligand complexes
synthesis and crystal structure of Mo carbonyl complex, $Mo(CO)_4[cyclo(Ph_6P_3As_3)]$, with scrambled P/As identities obtained from perfectly alternating P–As heterocycle, 1,3,5-tris(phenylphospha)-2,4,6-tri(phenylarsa)cyclohexane, $[cyclo(Ph_6P_3As_3)]$, 139
Cyclopentadienyl complexes
beryllocene and related slip-sandwich structures, 309
electron impact and fast-atom bombardment mass spectra of coordination complexes; aggregation processes in mass spectra of metal derivatives of 1,2,3,4,5-pentakis(methoxycarbonyl)cyclopentadiene, 407
Mn(II)cyclopentadienide and cyclopentadienylmanganese(biphenyl) as starting materials for synthesis of carbonyl free organomanganse complexes, 533
structures and dynamic features of dinuclear tartratozirconocene complexes, 679

Dehydrogenation reactions
tris(1,2-ethanediamine) complexes of Os(IV), Os(III) and Os(II); oxidative dehydrogenation reactions, 449
Dicarbollyl complexes
anionic dicarbollyl complexes of Ge(II) and Sn(II) — missing links in series of π-complexes with Group 14 elements as central atoms, 369
Dinuclear complexes
crystallographic disorder in $[M_2X_8]^{n-}$, $M_2X_4L_4$ and related compounds; chemical and theoretical implications, 13
models of oxidized forms of polyiron oxo proteins; synthetic routes to (μ-oxo)bis(μ-carboxylato)diiron(III) complexes with neutral monodentate and bidentate capping ligands, 627
P–C bond cleavage at di-iron centre; synthesis of μ-phosphidomethyl complexes $[Fe_2(CO)_6(\mu\text{-}CH_2PR_2)(\mu\text{-}PR_2)]$ from $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}R_2PCH_2PR_2)]$, 257
redox chemistry of triply bonded compounds $Re_2X_4(\mu\text{-dmpm})_3$ (X = Cl or Br; dmpm = $Me_2PCH_2PMe_2$) and isolation and characterization of nitrosyl complex $Re_2Cl_5(\mu\text{-dmpm})_2(NO)$, 787
synthesis and characterization of compounds with B–B double bonds, 443
Dioxygen complexes
dioxygen uptake and transfer by Co(III), Rh(III) and Ir(III) catecholate complexes, 31
Disilene complexes
reaction of disilenes with P_4 and As_4, 733
Dithioformate complexes
activation of dithioformate by Fe complexes; insertion of alkynes into coordinated C–S bond; X-ray structures of $Fe[\eta_3\text{-H–B(H)}_2\leftarrow\text{S–C(SMe)H}](CO)(PMe_3)_2$ and $Fe[\eta_3\text{-S–C(Ph)=CH–CH(SMe)}](CO)(PMe_3)_2$, 193

Electrochemistry
characterisation of intermediates involved in *mer*-$W(CO)_3(\eta^1\text{-dpm})(\eta^2\text{-dpm})$ to *mer*-$[W(CO)_2(\eta^2\text{-dpm})_2]^{2+}$ (dpm = $Ph_2PCH_2PPh_2$) oxidation process in acetone by steady-state and fast scan voltammetry at Pt and Hg microelectrodes, 671
covalent linkage of glucose oxidase to modified basal plane pyrolytic graphite electrodes and use in ferrocene-mediated amperometric measurement of glucose, 863
dioxygen uptake and transfer by Co(III), Rh(III) and Ir(III) catecholate complexes, 31
hexanuclear polypyridine complexes containing different metals, bridging ligands and/or terminal ligands; absorption spectra, electrochemical oxidation, luminescence properties and intercomponent energy transfer, 507
kinetics and mechanism of oxidative cleavage of metal–metal bond in $[M_2(CO)_{10}]^{2-}$, M = Cr, Mo and W, 633
redox chemistry of triply bonded compounds $Re_2X_4(\mu\text{-dmpm})_3$ (X = Cl or Br; dmpm = $Me_2PCH_2PMe_2$) and isolation and characterization of nitrosyl complex $Re_2Cl_5(\mu\text{-dmpm})_2(NO)$, 787
spectroscopic and electrochemical aspects of Cu(II) chelates containing 1,2-diamines and β-ketoenols, 651
Electronic chemical potential
chemical hardness and electronic chemical potential, 781
Emulsions
use of rigid organic microemulsions to fix liquid solutions for Mössbauer studies, 867

Enzyme complexes
covalent linkage of glucose oxidase to modified basal plane pyrolytic graphite electrodes and use in ferrocene-mediated amperometric measurement of glucose, 863

Ferrocene complexes
covalent linkage of glucose oxidase to modified basal plane pyrolytic graphite electrodes and use in ferrocene-mediated amperometric measurement of glucose, 863
Fluorinated compounds
highly fluorinated tetrazanes and other polynitrogen compounds, 527
Fluxional behaviour
beryllocene and related slip-sandwich structures, 309

Germanium complexes
anionic dicarbollyl complexes of Ge(II) and Sn(II) — missing links in series of π-complexes with Group 14 elements as central atoms, 369
synthesis and reactivity of digermylplatinum(II) complexes $Me_2Ge(CH_2)_nGe(Me_2)PtL_2$ (n = 0, 1, 2), 461
X-ray crystal structures of two monomeric Group 14 metal bisamides, $Ge[N(SiMe_3)_2]_2$ and $Sn[NC(Me)_2(CH_2)_3CMe_2]_2$, 203
Group V element complexes
use of 2,6-bis[(dimethylamino)methyl]phenyl ligand to form some pentacoordinate derivatives of P(III), As(III), Sb(III) and Bi(III), 271

Halide complexes
crystal structure and magnetic ordering in $[(pyH)_3Cl][FeCl_4]_2$, 613
mass spectroscopic evidence for formation of mixed-metal octahedral clusters $[Mo_nW_{6-n}Cl_{14}]^{2-}$, 245
synthesis, characterization and reactivity of some mono- and dinuclear chlororuthenium complexes containing chelating ditertiary phosphines (P–P) with P–P:Ru = 1, 283
Heterobimetallic complexes
kinetics and mechanism of oxidative cleavage of metal–metal bond in $[M_2(CO)_{10}]^{2-}$, M = Cr, Mo and W, 633
synthesis and characterisation of some hexanuclear heterometallic clusters containing arene ligands; crystal and molecular structure of $RuOs_5(CO)_{15}(\eta^6\text{-}C_6H_6)$ and $RhOs_5(CO)_{15}(\eta_5\text{-}C_5Me_5)$, 393
synthesis and comparative chemistry of early–late transition metal heterobimetallacycles $CpCp'Ta(CH_2)_2Ir(CO)(L)$ and their main-group element–late transition metal analogues $R_2P(CH_2)_2Ir(CO)(L)$, 377
synthesis of complexes with Mo–Pt bonds from alkylidyne(carborane)Mo reagent $[NEt_4][Mo(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 593
Heterocyclic ligand complexes
monocomplex formation and dissociation of some first row divalent transition metal ions with 2-chloro-1,10-phenanthroline by high-pressure stopped-flow technique, 159
synthesis of heterocyclic systems by activation of isocyanide, carbonyl, trifluoromethyl and nitrile ligands in Pt(II) and Pd(II) complexes, 883
synthesis and molecular structure of optically active oxazolidine complexes of Pt(II) and Pd(II), 771

Heterometallic complexes
heterometallic species containing Cp_2MH_2 (M = Mo and W) and Cu^+ or Ag^+ are inner sphere redox intermediates, 639
homo- and heterometallic transition-metal complexes containing bis(cyclopentadienyl)methane as ligand, 715
Heteronuclear complexes
synthesis and structures of novel types of heteronuclear Pt–M (M = Ag, Sn or Pb) neutral or anionic organometallic complexes, 165
Homometallic compounds
homo- and heterometallic transition-metal complexes containing bis(cyclopentadienyl)methane as ligand, 715
Hydrido complexes
heterometallic species containing Cp_2MH_2 (M = Mo and W) and Cu^+ or Ag^+ are inner sphere redox intermediates, 639
hydridosilicates; new class of pentacoordinated Si derivatives with unusual properties, 705
preparation and spectroscopic characterization of (η^6-arene)Ru(II) trifluoromethylsulfonates and of dinuclear di-μ- and tri-μ-hydrido (η^6-arene)Ru(II) complexes; homogeneous hydrogenation of cyclohexene and 1-hexene catalysed by various (η_6-arene)Ru(II) complexes, 583
Hydrogenation
preparation and spectroscopic characterization of (η^6-arene)Ru(II) trifluoromethylsulfonates and of dinuclear di-μ- and tri-μ-hydrido (η^6-arene)Ru(II) complexes; homogeneous hydrogenation of cyclohexene and 1-hexene catalysed by various (η^6-arene)Ru(II) complexes, 583
Hydrogen bonding
relevance of hydrogen bonding in mechanism of action in Pt antitumor compounds, 873
Hydrogen elimination
α- vs. β-hydrogen elimination in formation of propene from osmacyclobutane, 57

Indenyl complexes
kinetics and mechanism of CO ligand substitution in ring-substituted indenyl Rh complexes [(η^5-$C_9R_nH_{7-n}$)Rh(CO)$_2$], 219
Insertion reaction
α- vs. β-hydrogen elimination in formation of propene from osmacyclobutane, 57
Iridium complexes
dioxygen uptake and transfer by Co(III), Rh(III) and Ir(III) catecholate complexes, 31
synthesis and characterization of some new complexes of Vaska-type *trans*-[IrX(CO)L$_2$] (X = Cl or I; L = phosphite, phosphinite or phosphonite) and direction of dihydrogen addition to these species, 429
Iron complexes
activation of dithioformate by Fe complexes; insertion of alkynes into coordinated C–S bond; X-ray structures of Fe[η^3-H–B(H)$_2$←S–C(SMe)H](CO)(PMe$_3$)$_2$ and Fe[η^3-S–C(Ph)=CH–CH(SMe)](CO)(PMe$_3$)$_2$, 193
crystal structure and magnetic ordering in [(pyH)$_3$Cl][FeCl$_4$]$_2$, 613
Fe(II) thiolates as reversible carbon monoxide carriers, 401
models of oxidized forms of polyiron oxo proteins; synthetic routes to (μ-oxo)bis(μ-carboxylato)diiron(III) complexes with neutral monodentate and bidentate capping ligands, 627
new synthetic, selective, high-affinity ligands for effective trivalent metal ion binding and transport, 421
nucleophilic addition of Cr carbene anions to coordinated olefin in [Cp(CO)$_2$Fe(η^2-olefin)]$^+$ complexes and to cyclohexadienyl ligand in [(η^5-cyclohexadienyl)(CO)$_3$Fe]$^+$, 601
P–C bond cleavage at di-iron centre; synthesis of μ-phosphidomethyl complexes [Fe$_2$(CO)$_6$(μ-CH$_2$PR$_2$)(μ-PR$_2$)] from [Fe$_2$(CO)$_6$(μ-CO)(μ-R$_2$PCH$_2$PR$_2$)], 257
reactivity of spectroscopically detected peroxy complexes of Fe porphyrins, 297
Isocyanide complexes
preparation of new Mn(II) isocyanide complexes, MnI$_2$(CNBu^t)$_n$ (n = 1, 1.5, 2) and mixed isocyanide/tertiary-phosphine complex MnI$_2$(PPh$_3$)(CNBu^t)$_2$; isolation and X-ray crystallographic characterisation of Mn^{I}/Mn^{II} mixed-valence isomeric complexes [Mn(CNBu^t)$_6$][MnI$_3$(PPh$_3$)] and [Mn(CNBu^t)$_5$(PPh$_3$)][MnI$_3$(CNBu^t)], 23

Kinetics and mechanism
of CO ligand substitution in ring-substituted indenyl Rh complexes [(η^5-$C_9R_nH_{7-n}$)Rh(CO)$_2$], 219
Marcus-type model for steric and electronic effects of ligands in atom transfer reactions of metal carbonyl radicals, 823
mechanistic information on reaction of model Pd(II) complexes with purine nucleosides and 5′-nucleotides in reference to antitumor activity of related Pt complexes, 187
monocomplex formation and dissociation of some first row divalent transition metal ions with 2-chloro-1,10-phenanthroline by high-pressure stopped-flow technique, 159
of oxidative cleavage of metal–metal bond in [M$_2$(CO)$_{10}$]$^{2-}$, M = Cr, Mo and W, 633

Lanthanide complexes
strong exchange coupling between lanthanide ions and phthalocyaninato ligand radical in bis(phthalocyaninato)lanthanide sandwich compounds, 795
Luminescence
hexanuclear polypyridine complexes containing different metals, bridging ligands and/or terminal ligands; absorption spectra, electrochemical oxidation, luminescence properties and intercomponent energy transfer, 507
Luminescent complexes
synthesis and photophysical characterization of highly luminescent complexes of Ru(II) containing 4,4′-di-(*p*-carboxyphenyl)-2,2′-bipyridine, 831

Macrocyclic complexes
acyclic mononuclear and macrocyclic dinuclear Ag(I) complexes of Schiff base ligands derived from *N*,*N*-bis(2-aminoalkyl)-2-phenylethylamines, 577
Magnetism
magnetic and spectral properties of paramagnetic metal-ion polyoxolene radical complexes, 813
Magnetochemistry
crystal structure and magnetic ordering in [(pyH)$_3$Cl][FeCl$_4$]$_2$, 613
Manganese complexes
Mn(II)cyclopentadienide and cyclopentadienylmanganese(biphenyl) as starting materials for synthesis of carbonyl free organomanganese complexes, 533

preparation of new Mn(II) isocyanide complexes, $MnI_2(CNBu^t)_n$ ($n=1$, 1.5, 2) and mixed isocyanide/tertiary-phosphine complex $MnI_2(PPh_3)(CNBu^t)_2$; isolation and X-ray crystallographic characterisation of Mn^I/Mn^{II} mixed-valence isomeric complexes $[Mn(CNBu^t)_6][MnI_3(PPh_3)]$ and $[Mn(CNBu^t)_5(PPh_3)][MnI_3(CNBu^t)]$, 23

Mass spectrometry
electron impact and fast-atom bombardment mass spectra of coordination complexes; aggregation processes in mass spectra of metal derivatives of 1,2,3,4,5-pentakis(methoxycarbonyl)cyclopentadiene, 407
mass spectroscopic evidence for formation of mixed-metal octahedral clusters $[Mo_nW_{6-n}Cl_{14}]^{2-}$, 245

Mercury complexes
^{199}Hg NMR investigation on solution structure of Hg(II) complexes of oligopeptides containing cysteine and histidine residues, 805

Metal complexes
have adenosine 5′-triphosphate (ATP^{4-}) and related urine-nucleotides played role in early evolution?; ATP, its own 'enzyme' in metal ion facilitated hydrolysis, 1
electronic absorption spectra of M(II)(Met121X) azurins (M=Co, Ni, Cu; X=Leu, Gly, Asp, Glu); charge-transfer energies and reduction potentials, 145
electron impact and fast-atom bombardment mass spectra of coordination complexes; aggregation processes in mass spectra of metal derivatives of 1,2,3,4,5-pentakis(methoxycarbonyl)cyclopentadiene, 407
hexanuclear polypyridine complexes containing different metals, bridging ligands and/or terminal ligands; absorption spectra, electrochemical oxidation, luminescence spectra and intercomponent energy transfer, 507
kinetics and mechanism of oxidative cleavage of metal–metal bond in $[M_2(CO)_{10}]^{2-}$, M=Cr, Mo and W, 633
Marcus-type model for steric and electronic effects of ligands in atom transfer reactions of metal carbonyl radicals, 823
new trends in polyoxometalate chemistry, towards large polyanions, towards nitrosyl-substituted polyanions, 319
synthesis and structures of novel types of heteronuclear Pt–M (M=Ag, Sn or Pb) neutral or anionic organometallic complexes, 165

Metal ion complexes
magnetic and spectral properties of paramagnetic metal-ion polyoxolene radical complexes, 813

Molecular materials complexes
one- and two-dimensional rare earth–Cu molecular materials, 119

Molybdenum complexes
heterometallic species containing Cp_2MH_2 (M=Mo and W) and Cu^+ or Ag^+ are inner sphere redox intermediates, 639
mass spectroscopic evidence for formation of mixed-metal octahedral clusters $[Mo_nW_{6-n}Cl_{14}]^{2-}$, 245
procedures for conversion of $\mu_2S \rightarrow \mu_2O$ in trinuclear $Mo(IV)_3$ incomplete cuboidal Mo/S cluster complexes, 623
synthesis of complexes with Mo–Pt bonds from alkylidyne(carborane)Mo reagent $[NEt_4][Mo(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 593
synthesis and crystal structure of Mo carbonyl complex, $Mo(CO)_4[cyclo(Ph_6P_3As_3)]$, with scrambled P/As identities obtained from perfectly alternating P–As heterocycle, 1,3,5-tris(phenylphospha)-2,4-6-tris(phenylarsa)cyclohexane, $[cyclo(Ph_6P_3As_3)]$, 139
synthesis and reactivity of Mo–S cubes, 565
tetra- to heptanuclear carbonyl(cyano)chromato, -molybdato and -tungstato complexes of 3d metals, 513

Mössbauer spectroscopy
use of rigid organic microemulsions to fix liquid solutions for Mössbauer studies, 867

Nickel complexes
CH_3 complexes with [NiS] fragments as models for CO dehydrogenase; synthesis and properties of $[Ni('MeS_2')_2]$ and $(NMe_4)[Ni(CH_3)('MeS_2')_2]$ ('MeS_2'$^-$ = *o*-(methylthio)thiophenolate(1−)), 351
Ni^{IV} cubanes; synthesis and characterization of $[Ni_4Se_4(Se_3)_5(Se_4)]^{4-}$ and $[Ni_4Te_4(Te_2)_2(Te_3)_4]^{4-}$ anions, 85

Nitrile complexes
coordination chemistry of nitriles and cyanamide at electron-rich metal centres, 179

Nitrosyl complexes
redox chemistry of triply bonded compounds $Re_2X_4(\mu\text{-dmpm})_3$ (X=Cl or Br; dmpm=$Me_2PCH_2PMe_2$) and isolation and characterization of nitrosyl complex $Re_2Cl_5(\mu\text{-dmpm})_2(NO)$, 787

Nuclear magnetic resonance
NMR is unique and necessary step in investigation of Fe S proteins; HiPIP from *R. gelatinosus* as example, 483

Nucleobase complexes
adenine tautomerization by coordinated Pt(II), 723

Nucleoside complexes
mechanistic information on reaction of model Pd(II) complexes with purine nucleosides and 5′-nucleotides in reference to antitumor activity of related Pt complexes, 187

Nucleotide complexes
have adenosine 5′-triphosphate (ATP^{4-}) and related purine-nucleotides played role in early evolution?; ATP, its own 'enzyme' in metal ion facilitated hydrolysis, 1

Oligomerization
intermediates of cyclotrimerization of 2-butyne with Cr catalyst, 741

Organic compounds
highly fluorinated tetrazanes and other polynitrogen compounds, 527
use of rigid organic microemulsions to fix liquid solutions for Mössbauer studies, 867

Organosilicon complexes
preparation and reactions of some organosilicon cyanates, 337

Organotin complexes
organotin(IV) compounds of 2-thiopyridine; crystal and molecular structure of dicyclohexyltin(IV) bis(2-pyridylthiolate), 249

Osmacyclobutane
α- vs. β-hydrogen elimination in formation of propene from osmacyclobutane, 57

Osmium complexes
synthesis and characterisation of some hexanuclear heterometallic clusters containing arene ligands; crystal and molecular structures of $RuOs_5(CO)_{15}(\eta^6\text{-}C_6H_6)$ and $RhOs_5(CO)_{15}(\eta^5\text{-}C_5Me_5)$, 393
tris(1,2-ethanediamine) complexes of Os(IV), Os(II) and Os(II); oxidative dehydrogenation reactions, 449

Oxo complexes
model of oxidized forms of polyiron oxo proteins; synthetic routes to (μ-oxo)bis(μ-carboxylato)diiron(III) complexes with neutral monodentate and bidentate capping ligands, 627
new trends in polyoxometalate chemistry, towards large polyanions, towards nitrosyl-substituted polyanions, 319
oxygen atom transfer in reaction between hexakis(dimethyl-tert-butylsiloxy)ditungsten and nitric oxide; remarkable difference in reactivity of W–W triple bonds as function of attendant ligands, Bu^tO vs. Bu^tMe_2SiO, 63
procedures for conversion of $\mu_2S \rightarrow \mu_2O$ in trinuclear $Mo(IV)_3$ incomplete cuboidal Mo/S cluster complexes, 623
Oxygen activation
classification scheme for homogeneous metal catalyzed oxidations by O_2, 359

Palladium complexes
mechanistic information on reaction of model Pd(II) complexes with purine nucleosides and 5′-nucleotides in reference to antitumor activity of related Pt complexes, 187
synthesis of *endo*-3-diphenylphosphino-(1*R*)-(+)-camphor (L) and some of its complexes with Pd(II), Pt(II) and Rh(I); crystal structures of L and *cis*-$[PdCl_2L_2]$, 149
synthesis of heterocyclic systems by activation of isocyanide, carbonyl trifluoromethyl and nitrile ligands in Pt(II) and Pd(II) complexes, 883
synthesis and molecular structure of optically active oxazolidine complexes of Pt(II) and Pd(II), 771
synthesis and NMR structural studies of allyl(polypyrazolylborate)Pd and Pt complexes, 275
Peptide complexes
^{199}Hg NMR investigation on solution structure of Hg(II) complexes of oligopeptides containing cysteine and histidine residues, 805
Peroxo complexes
reactivity of spectroscopically detected peroxy complexes of Fe porphyrins, 297
Phosphidomethyl complexes
P–C bond cleavage at di-iron centre; synthesis of μ-phosphidomethyl complexes $[Fe_2(CO)_6(\mu\text{-}CH_2PR_2)(\mu\text{-}PR_2)]$ from $[Fe(CO)_6(\mu\text{-}CO)(\mu\text{-}R_2PCH_2PR_2)]$, 257
Phosphorous complexes
reaction of disilenes with P_4 and As_4, 733
Phosphorous donor complexes
synthesis and characterization of some new complexes of Vaska-type *trans*-$[IrX(CO)L_2]$ (X = Cl or I; L = phosphite, phosphinite or phosphonite) and direction of dihydrogen addition to these species, 429
Photophysical characterization
synthesis and photophysical characterization of highly luminescent complexes of Ru(II) containing 4,4′-di-(*p*-carboxyphenyl)-2,2′-bipyridine, 831
Phthalocyanine complexes
protonation of Co tetraneopentoxyphthalocyanine as function of oxidation state, 543
strong exchange coupling between lanthanide ions and phthalocyaninato ligand radical in bis(phthalocyaninato)lanthanide sandwich compounds, 795
Platinum complexes
adenine tautomerization by coordinated Pt(II), 723
metal insertion into CH bond as route to heterobimetallic μ-methylidene complex $C_5H_5(CO)_2Re(\mu\text{-}CH_2)Pt(PPh_3)_2$, 557
relevance of hydrogen bonding in mechanism of action in Pt antitumor compounds, 873
synthesis and antitumor activity of water-soluble 2-benzyl-1,2-diaminobutane-α-oxycarboxylatoplatinum(II) complexes, 79
synthesis of complexes with Mo–Pt bonds from alkylidyne(carborane)Mo reagent $[NEt_4][Mo(\equiv CC_6H_4Me\text{-}4)(CO)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 593
synthesis of *endo*-3-diphenylphosphino-(1*R*)-(+)-camphor (L) and some of its complexes with Pd(II), Pt(II) and Rh(I); crystal structures of L and *cis*-$[PdCl_2L_2]$, 149
synthesis of heterocyclic systems by activation of isocyanide, carbonyl, trifluoromethyl and nitrile ligands in Pt(II) and Pd(II) complexes, 883
synthesis and molecular structure of optically active oxazolidine complexes of Pt(II) and Pd(II), 771
synthesis and NMR structural studies of allyl(polypyrazolylborate)Pd and Pt complexes, 275
synthesis and reactivity of digermylplatinum(II) complexes $Me_2Ge(CH_2)_nGe(Me_2)PtL_2$ (n = 0, 1, 2), 461
synthesis and structures of novel types of heteronuclear Pt–M (M = Ag, Sn or Pb) neutral or anionic organometallic complexes, 165
Polydentate ligand complexes
hexanuclear polypyridine complexes containing different metals, bridging ligands and/or terminal ligands; absorption spectra, electrochemical oxidation, luminescence properties and intercomponent energy transfer, 507
synthesis and NMR structural studies of allyl(polypyrazolylborate)Pd and Pt complexes, 275
Zn complexes of cyclohexane triamine ligands, 663
Polynuclear complexes
hexanuclear polypyridine complexes containing different metals, bridging ligands and/or terminal ligands; absorption spectra, electrochemical oxidation, luminescence properties and intercomponent energy transfer, 507
new trends in polyoxometalate chemistry, towards large polyanions, towards nitrosyl-substituted polyanions, 319
structural investigations of hexavanadium core $\{V_6O_{19}\}$ in 'oxidized', mixed valence and 'reduced' clusters of type $[V^V_{6-n}V^{IV}_nO_{13-n}(OH)_n\{(OCH_2)_3CR\}_2]^{2-}$, n = 0, 3 and 6, 95
Polyoxolene complexes
magnetic and spectral properties of paramagnetic metal-ion polyoxolene radical complexes, 813
Porphyrin complexes
reactivity of spectroscopically detected peroxy complexes of Fe porphyrins, 297
Propylene extrusion
α- vs. β-hydrogen elimination in formation of propene from osmacyclobutane, 57
Protein complexes
axial ligand bonding in blue Cu proteins, 233
Protonation reaction
protonation of Co tetraneopentoxyphthalocyanine as function of oxidation state, 543

Radical complexes
magnetic and spectral properties of paramagnetic metal-ion polyoxolene radical complexes, 813

Marcus-type model for steric and electronic effects of ligands in atom transfer reactions of metal carbonyl radicals, 823

Rare earth complexes
one- and two-dimensional rare earth–Cu molecular materials, 119

Rhenium complexes
coordination chemistry of nitriles and cyanamide at electron-rich metal centres, 179
metal insertion into CH bond as route to heterobimetallic μ-methylidene complex $C_5H_5(CO)_2Re(\mu\text{-}CH_2)Pt(PPh_3)_2$, 557
redox chemistry of triply bonded compounds $Re_2X_4(\mu\text{-dmpm})_3$ (X = Cl or Br; dmpm = $Me_2PCH_2PMe_2$) and isolation and characterization of nitrosyl complex $Re_2Cl_5(\mu\text{-dmpm})_2(NO)$, 787

Rhodium complexes
dioxygen uptake and transfer by Co(III), Rh(III) and Ir(III) catecholate complexes, 31
kinetics and mechanism of CO ligand substitution in ring-substituted indenyl Rh complexes $[\eta^5\text{-}C_9R_nH_{7-n})Rh(CO)_2]$, 219
pentamethylcyclopentadienyl–Rh(III) complexes with α-amino acid derivatives as bridging ligands and with several chiral metal centers; synthesis and structure of $[Cp^*Rh(\mu\text{-L-phenylalaninato})]_3(BF_4)_3$ and $[Cp^*Rh(\mu\text{-}NHCOCH_2NCO_2CH_2Ph))]_2$, 415
reaction of $[Rh_2(COMe)_2(CO)_2I_6]^{2-}$ with some tertiary phosphines, and $PPh(OMe)_2$, and X-ray structure of $[Rh(COMe)I_2(Ph_2PCH_2PPh_2)]$, 111
synthesis of *endo*-3-diphenylphosphino-(1*R*)-(+)-camphor (L) and some of its complexes with Pd(II), Pt(II) and Rh(I); crystal structures of L and *cis*-$[PdCl_2L_2]$, 149

Ruthenium complexes
1,3-dimetalloallyl tri-Ru cluster $(\mu\text{-H})Ru_3(\mu_3\text{-}\eta^3\text{-}CHCHCMe)(CO)_9$ and its PPh_3 derivatives, 211
monoazadiene Ru carbonyl chemistry, 689
new silanediyl complexes of Ru(0), 763
new trinuclear and hexanuclear Ru clusters derived from reaction of $[Ru_3(CO)_{12}]$ with phenylphosphine or cyclohexylphosphine, 469
preparation and spectroscopic characterization of (η^6-arene)Ru(II) trifluoromethylsulfonates and of dinuclear di-μ- and tri-μ-hydrido (η^6-arene)Ru(II) complexes; homogeneous hydrogenation of cyclohexene and 1-hexene catalysed by various (η^6-arene)Ru(II) complexes, 583
Ru(II) complexes of 2,2′-biphosphinine, 437
synthesis and characterisation of some hexanuclear heterometallic clusters containing arene ligands; crystal and molecular structures of $RuOs_5(CO)_{15}(\eta^6\text{-}C_6H_6)$ and $RhOs_5(CO)_{15}(\eta^5\text{-}C_5Me_5)$, 393
synthesis, characterization and reactivity of some mono- and dinuclear chlororuthenium complexes containing chelating ditertiary phosphines (P–P) with P–P:Ru = 1, 283
synthesis and photophysical characterization of highly luminescent complexes of Ru(II) containing 4,4′-di-(*p*-carboxyphenyl)-2,2′-bipyridine, 831

Schiff base complexes
acyclic mononuclear and macrocyclic dinuclear Ag(I) complexes of Schiff base ligands derived from *N*,*N*-bis(2-aminoalkyl)-2-phenylethylamines, 577

Silicate complexes
hydridosilicates; new class of pentacoordinated Si derivatives with unusual properties, 705

Silicon complexes
hydridosilicates; new class of pentacoordinated Si derivatives with unusual properties, 705
preparation and reactions of some organosilicon cyanates, 337

Silicon ligand complexes
new silanediyl (silylene) complexes of Ru(0), 763

Silver complexes
acyclic mononuclear and macrocyclic dinuclear Ag(I) complexes of Schiff base ligands derived from *N*,*N*-bis(2-aminoalkyl)-2-phenylethylamines, 577

Slip-sandwich structures
beryllocene and related slip-sandwich structures, 309

Sulfur complexes
procedures for conversion of $\mu_2S \rightarrow \mu_2O$ in trinuclear $Mo(IV)_3$ incomplete cuboidal Mo/S cluster complexes, 623
synthesis and reactivity of Mo–S cubes, 565

Sulfur ligand complexes
CH_3 complexes with [NiS] fragments as models for CO dehydrogenase; synthesis and properties of $[Ni('MeS_2')_2]$ and $(NMe_4)[Ni(CH_3)('MeS_2')_2]$ ('$MeSe_2$'$^-$ = *o*-(methylthio)thiophenolate(1−)), 351
organotin(IV) compounds of 2-thiopyridine; crystal and molecular structure of dicyclohexyltin(IV) bis(2-pyridylthiolate), 249

Sulfur proteins
NMR is unique and necessary step in investigation of Fe S proteins; HiPIP from *R. gelatinosus* as example, 483

Tartrato complexes
structures and dynamic features of dinuclear tartratozirconocene complexes, 679

Thermodynamics
monocomplex formation and dissociation of some first row divalent transition metal ions with 2-chloro-1,10-phenanthroline by high-pressure stopped-flow technique, 159

Thiolate complexes
Fe(II) thiolates as reversible carbon monoxide carriers, 401

Thiometallate complexes
molecular architecture of Cu(I) thiometallate complexes; example of cubane with extra face, $(NPr_4)_3[MS_4Cu_4Cl_5]$ (M = Mo, W), 493

Tin
use of rigid organic microemulsions to fix liquid solutions for Mössbauer studies, 867

Tin complexes
anionic dicarbollyl complexes of Ge(II) and Sn(II) — missing links in series of π-complexes with Group 14 elements as central atoms, 369
organotin(IV) compounds of 2-thiopyridine; crystal and molecular structure of dicyclohexyltin(IV) bis(2-pyridylthiolate), 249
X-ray crystal structures of two monomeric Group 14 metal bisamides, $Ge[N(SiMe_3)_2]_2$ and $Sn[\overline{NC(Me)}_2(CH_2)_3\overline{CMe}_2]_2$, 203

Transition metal complexes
crystallographic disorder in $[M_2X_8]^{n-}$, $M_2X_4L_4$ and related compounds; chemical and theoretical implications, 13
icosahedron in inorganic chemistry, 841

monocomplex formation and dissociation of some first row divalent transition metal ions with 2-chloro-1,10-phenanthroline by high-pressure stopped-flow technique, 159
synthesis and comparative chemistry of early–late transition metal heterobimetallacycles $CpCp'Ta(CH_2)_2Ir(CO)(L)$ and their main-group element–late transition metal analogues $R_2P(CH_2)_2Ir(CO)(L)$, 377
Transition metals
classification scheme for homogeneous metal catalyzed oxidations by O_2, 359
Tridentate ligand complexes
use of 2,6-bis[(dimethylamino)methyl]phenyl ligand to form some pentacoordinate derivatives of P(III), As(III), Sb(III) and Bi(III), 271
Trinuclear complexes
procedures for conversion of $\mu_2S \rightarrow \mu_2O$ in trinuclear $Mo(IV)_3$ incomplete cuboidal Mo/S cluster complexes, 623
Tungsten complexes
characterisation of intermediates involved in *mer*-$W(CO)_3(\eta^1\text{-dpm})(\eta^2\text{-dpm})$ to *mer*-$[W(CO)_2(\eta^2\text{-dpm})_2]^{2+}$ (dpm = $Ph_2PCH_2PPh_2$) oxidation process in acetone by steady-state and fast scan voltammetry at Pt and Hg microelectrodes, 671
heterometallic species containing Cp_2MH_2 (M = Mo and W) and Cu^+ or Ag^+ are inner sphere redox intermediates, 639
mass spectroscopic evidence for formation of mixed-metal octahedral clusters $[Mo_nW_{6-n}Cl_{14}]^{2-}$, 245
oxygen atom transfer in reaction between hexakis(dimethyl-tert-butylsiloxy)ditungsten and nitric oxide; remarkable difference in reactivity of W–W triple bond as function of attendant ligands, Bu^tO vs. Bu^tMe_2SiO, 63
tetra- to heptanuclear carbonyl(cyano)chromato, -molybdato and -tungstato complexes of 3d metals, 513

Unsymmetrical dinuclear complexes
homo- and heterometallic transition-metal complexes containing bis(cyclopentadienyl)methane as ligand, 715

Vanadium complexes
structural investigations of hexavanadium core of $\{V_6O_{19}\}$ in 'oxidized', mixed valence and 'reduced' clusters of type $[V^V_{6-n}V^{IV}_nO_{13-n}(OH)_n\{(OCH_2)_3CR\}_2]^{2-}$, $n = 0$, 3 and 6, 95

Zinc complexes
Zn complexes of cyclohexane triamine ligands, 663
Zirconium complexes
structures and dynamic features of dinuclear tartrato-zirconocene complexes, 679